

Metropolitan Ambulance Service		Rural Ambulance Victoria	
Clinical Practice Guideline	REFERENCE MATERIAL		CPG:R001
Version 7 - 200906			Page 9 of 18

Drug Dilutions		
CPG	Dilution	Description
A0401 A0202 P1401	Morphine Increments	Dilute MORPHINE SULPHATE 10 mg to 10 mls with 9 mls NORMAL SALINE
A0509	Amiodarone Infusion	<p>Spring Loaded Infusion Device - Add AMIODARONE 5 mg/kg up to 300mg (Maximum 6 ml of solution) to 5% DEXTROSE to make up 10 ml. Use a "10 ml in 30 minute" infusion device administration set</p> <p>Syringe Pump - Add AMIODARONE 5 mg/kg (up to a maximum 300mg) to 5% DEXTROSE to make up 50 ml. Run at a rate of 100 ml/hr (i.e. To be delivered over 30 minutes)</p> <p>Adult Giving Set – Add AMIODARONE 5mg/kg (Maximum 300mg) to 5% DEXTROSE (100ml) and run at 60 drops /min (over a 30 minute period)</p>
A0505 A0601 A0604	Adrenaline Infusion	<p>Dilute ADRENALINE 3 mg to 50 mls with 5% Dextrose / Normal Saline (i.e. each 1 ml of resultant solution contains ADRENALINE 60 mcg)</p> <p>ADRENALINE INFUSIONS must be clearly labelled with the name and dose of the additive drug and time of commencement</p>
A0505 A0601 A0604	Adrenaline Increments (10 mcg/ml)	Dilute ADRENALINE 1ml of 1:10,000 to 10 ml with 9 ml Normal Saline (i.e. each 1 ml of resultant solution contains ADRENALINE 10 mcg)
A0506	Verapamil	Dilute VERAPAMIL HYDROCHLORIDE 10 mg to 10 ml with 6 ml NORMAL SALINE
A0506 A0602	Metaraminol	Dilute METARAMINOL BITARTRATE 10 mg diluted to 10 mls with 9 mls of NORMAL SALINE
A0601 A0604	Adrenaline Increments (100 mcg /ml)	Dilute 1ml ADRENALINE 1:1000 solution to 10 ml with 9 ml of Normal Saline (i.e. each 1 ml of resultant solution contains ADRENALINE 100 mcg / ml)
A0904	Morphine & Midazolam Infusion	Dilute MORPHINE 30 mg and MIDAZOLAM 30 mg diluted to 30 mls with NORMAL SALINE (i.e. each 1 ml contains 1 mg of Morphine & 1 mg of Midazolam)

Metropolitan Ambulance Service		Rural Ambulance Victoria	
Clinical Practice Guideline	REFERENCE MATERIAL		CPG:R001
Version 7 - 200906			Page 10 of 18

Drug Dilutions		
CPG	Dilution	Description
A0702	Salbutamol Infusion	<p>Preparation of Salbutamol Infusion</p> <p>Standard Adult Giving Set</p> <p>Add SALBUTAMOL 2 mg to 5% Dextrose / Normal Saline 100 ml (i.e. each 1 ml of resultant solution contains 20 mcg of SALBUTAMOL) and run at 15 mcg / min (45 ml / hr or 15 drops/min)</p> <p>Syringe Pump</p> <p>Add SALBUTAMOL 1 mg to 5% Dextrose / Normal Saline solution to make 50 ml (i.e. each 1 ml of resultant solution contains 20 mcg of SALBUTAMOL) and run at 15 mcg / min (45 ml / hr).</p> <p>Spring Loaded Infusion Device</p> <p>Add SALBUTAMOL 500 mcg (1 ml) to 5% Dextrose / Normal Saline to make up 11 ml (45 mcg / ml) and run at a rate of 15 mcg / min (20 ml / hr) using a "10 ml in 30 minute" infusion device administration set</p>
P1502	Salbutamol Infusion (Paed)	<p>Preparation of Salbutamol Infusion</p> <p>Standard Adult Giving Set</p> <p>Add SALBUTAMOL 200 mcg / kg to 5% DEXTROSE / NORMAL SALINE 100 ml and run at 2 mcg / kg / min (60 ml / hr or 20 drops / min)</p> <p>Syringe Pump</p> <p>Add SALBUTAMOL 100 mcg / kg to 5% DEXTROSE / NORMAL SALINE solution to make 50 ml and run at 2 mcg / kg / min (60 mls / hr)</p>
P1502	Hydrocortisone (Paed)	Dilute HYDROCORTISONE 250 mg in 2ml to 10 ml with 8 mls of NORMAL SALINE (equals 25 mg / ml)
P1301 P1702	Atropine (Paed)	Dilute 600 mcg ATROPINE in 1 ml to 5 ml of NORMAL SALINE (i.e. each 1 ml contains 100 mcg)

Metropolitan Ambulance Service		Rural Ambulance Victoria	
Clinical Practice Guideline	REFERENCE MATERIAL		CPG:R001
Version 7 - 200906			Page 11 of 18

Drug Dilutions		
CPG	Dilution	Description
P1802	Fentanyl Bolus (Paed)	Dilute FENTANYL 100 microgram to 10 mls with 8 mls of Normal Saline to make a solution of 10 microgram / ml in one syringe
P1802	Midazolam Bolus (Paed)	Draw up MIDAZOLAM 15 mg in a 3 ml syringe
P1802	Morphine & Midazolam Infusion (Paed)	Dilute MORPHINE 15 mg and MIDAZOLAM 15 mg to 15 mls with NORMAL SALINE (i.e. each 1 ml contains 1 mg of Morphine and 1 mg of Midazolam)